

Version Revision Date: SDS Number: This version replaces all previous versions.

1.0 15.06.2022 S00054779260

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : TALON INSECT KILLER CONCENTRATE

Design code : A12690P

Manufacturer or supplier's details

Company : Syngenta Australia Pty Ltd (ABN 33 002 933 717)

www.syngenta.com.au

Address : 2-4 Lyonpark Road

Macquarie Park NSW 2113

Australia

Telephone : (02) 8014 5200

Emergency telephone number : 13 11 26 (Poison Information Centre)

1800 033 111 (Syngenta)

Telefax : (02) 8876 8446

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

# **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

# **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
lambda-cyhalothrin (ISO)	91465-08-6	< 10
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified	64742-95-6	< 10
propane-1,2-diol	57-55-6	< 10
phosphoric acid	7664-38-2	>= 1 -< 3

#### **SECTION 4. FIRST AID MEASURES**



Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 15.06.2022 S00054779260

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

Aspiration may cause pulmonary oedema and pneumonitis. Skin contact paresthesia effects (itching, tingling, burning or

numbness) are transient, lasting up to 24 hours.

Notes to physician : Do not induce vomiting: contains petroleum distillates and/or

aromatic solvents.

Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire-

fighting

 As the product contains combustible organic components, fire will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Specific extinguishing meth-

ods

Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment

for firefighters

Wear full protective clothing and self-contained breathing ap-

nters paratus.

Hazchem Code

: •3Z

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

Personal precautions, protec- : Refer to protective measures listed in sections 7 and 8.



Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 15.06.2022 S00054779260

gency procedures

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
lambda-cyhalothrin (ISO)	91465-08-6	TWA	0.04 mg/m3 (Skin)	Syngenta
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified	64742-95-6	TWA	19 ppm 100 mg/m3	Supplier
propane-1,2-diol	57-55-6	TWA (partic- ulate)	10 mg/m3	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL
phosphoric acid	7664-38-2	TWA	1 mg/m3	AU OEL
		STEL	3 mg/m3	AU OEL
		TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.



Version 1.0

Revision Date: 15.06.2022

SDS Number: S00054779260

This version replaces all previous versions.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene ad-

vice.

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection

No special protective equipment required.

Skin and body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures

The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

Personal protective equipment should comply with relevant

national standards

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid, opaque

# **SAFETY DATA SHEET**



# TALON INSECT KILLER CONCENTRATE

Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 15.06.2022 S00054779260

Colour : light beige to brown

Odour : No data available

Odour Threshold : No data available

pH : 4-8

Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.04 g/cm3 (25 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : 625 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 41 - 208 mPa.s (40 °C)

55 - 268 mPa.s ( 20 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.



Version Revision Date: SDS Number: This version replaces all previous versions.

1.0 15.06.2022 S00054779260

Surface tension : 50.8 mN/m, 20 °C

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Incompatible materials : None known.

Hazardous decomposition : No h

products

Conditions to avoid

No hazardous decomposition products are known.

No decomposition if used as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Ingestion

Inhalation Skin contact Eye contact

**Acute toxicity** 

**Product:** 

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.655 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

**Components:** 

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat, female): 56 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Acute oral toxicity : LD50 (Rat): 3,952 mg/kg

# **SAFETY DATA SHEET**



# TALON INSECT KILLER CONCENTRATE

Version Revision Date: SDS Number: This version replaces all previous versions.

1.0 15.06.2022 S00054779260

phosphoric acid:

Acute oral toxicity : LD50 (Rat): 301 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,750 mg/kg

Skin corrosion/irritation

**Product:** 

Species : Rabbit

Result : No skin irritation

**Components:** 

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No skin irritation

Remarks : May cause temporary itching, tingling, burning or numbness of

exposed skin, called paresthesia.

phosphoric acid:

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

**Product:** 

Species : Rabbit

Result : No eye irritation

**Components:** 

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

**Product:** 

Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

**Components:** 

lambda-cyhalothrin (ISO):

Test Type : Maximisation Test

Species : Guinea pig

Result : Does not cause skin sensitisation.

Local lymph node assay (LLNA)

Mouse

: Does not cause skin sensitisation.



Version 1.0

Revision Date: 15.06.2022

SDS Number: S00054779260

This version replaces all previous versions.

#### Chronic toxicity

### Germ cell mutagenicity

#### **Components:**

lambda-cyhalothrin (ISO):

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

phosphoric acid:

Germ cell mutagenicity -

Assessment

In vitro tests did not show mutagenic effects

Carcinogenicity

### **Components:**

lambda-cyhalothrin (ISO):

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

#### Reproductive toxicity

### **Components:**

lambda-cyhalothrin (ISO):

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

phosphoric acid:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT - single exposure

## **Components:**

### lambda-cyhalothrin (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### STOT - repeated exposure

### Components:

#### lambda-cyhalothrin (ISO):

Assessment : The substance or mixture is not classified as specific target



Version 1.0

Revision Date: 15.06.2022

SDS Number: S00054779260

This version replaces all previous versions.

organ toxicant, repeated exposure.

#### **Aspiration toxicity**

## **Components:**

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

May be fatal if swallowed and enters airways.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.93 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.08 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

53.72 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 3

mg/l

End point: Growth rate Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):

7.43 ma/l

End point: Growth rate Exposure time: 72 h

### **Components:**

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 0.000078 mg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 0.00016 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00036 mg/l

Exposure time: 48 h

LC50 (Americamysis): 0.000007 mg/l

Exposure time: 48 h

EC50 (Hyalella azteca (Amphipod)): 0.000002 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)): >



Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 15.06.2022 S00054779260

plants 0.31 mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.000031

mg/l

100,000

Exposure time: 300 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.000002 mg/l

Exposure time: 21 d

NOEC (Americamysis): 0.00022 µg/l

Exposure time: 28 d

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

100,000

EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9.2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 3.2 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2.6

- 2.9 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1

mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 1.23 mg/l

Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 2.14 mg/l

Exposure time: 28 d

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

phosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l

Exposure time: 96 h

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.



Version 1.0

Revision Date: 15.06.2022

SDS Number: S00054779260

This version replaces all previous versions.

# Persistence and degradability

**Components:** 

lambda-cyhalothrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 7 d

Remarks: Product is not persistent.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential** 

**Components:** 

lambda-cyhalothrin (ISO):

Bioaccumulation : Remarks: Bioaccumulates

Mobility in soil

**Components:** 

lambda-cyhalothrin (ISO):

Distribution among environ-

mental compartments

Remarks: immobile

Stability in soil : Dissipation time: 56 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

lambda-cyhalothrin (ISO):

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Results of PBT and vPvB

assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

phosphoric acid:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).



Version Revision Date: SDS Number: This version replaces all previous versions.

15.06.2022 S00054779260 1.0

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging Non-returnable containers:

Triple rinse containers. Add rinsings to spray tank

If recycling, replace cap and return clean containers to recycler or designated collection point. Containers marked with the drumMUSTER container logo can be taken to a drumMUS-TER collection site (02 6206 6868, www.drummuster.org.au). Empty containers can be landfilled, when in accordance with

the local regulations.

If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty

containers and product should not be burnt.

Returnable containers:

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(LAMBDA-CYHALOTHRIN AND SOLVENT NAPHTHA)

Class

9 Packing group Ш Labels 9

**IATA-DGR** 

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(LAMBDA-CYHALOTHRIN AND SOLVENT NAPHTHA)

Class 9 Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

der aircraft)

964

964

Environmentally hazardous

yes

**IMDG-Code** 

**UN** number UN 3082



Version Revision Date: SDS Number: This version replaces all previous versions.

1.0 15.06.2022 S00054779260

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(LAMBDA-CYHALOTHRIN AND SOLVENT NAPHTHA)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**ADG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(LAMBDA-CYHALOTHRIN AND SOLVENT NAPHTHA)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : •3Z

Remarks : Environmentally Hazardous Substances meeting the descrip-

tions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per

ADG Special Provision AU01.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 5

Scheduling of Medicines and

Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

Product Registration Number : APVMA Approval No. 91408

### **SECTION 16. OTHER INFORMATION**



Version Revision Date: SDS Number: This version replaces all previous versions.

1.0 15.06.2022 S00054779260

Revision Date : 15.06.2022 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN